


VERSATILE. TRUSTED. NATURAL.

CONSISTENTLY DELIVERING **OUTSTANDING RESULTS**

Evodoor Duracoat's pre-fabricated door panels are manufactured from Evosure Tempered hardboard and pre-coated with a sealer and primer to provide a paint ready finish.

Evosure Tempered is manufactured by adding tempering oil and additional heat to Evosure Original hardboard during the production process. This gives Evodoor Duracoat extra strength and limits moisture uptake. These properties make Evodoor Duracoat door panels ideally suited for interior and semi-exterior usage especially in humid and coastal regions as they can withstand prolonged exposure to the elements while offering an aesthetically appealing surface.



VERSATILE

Evodoor Duracoat door panels offer up to 40% superior strength and density compared to substitutes, such as MDF panels, and its high internal bond strength allows greater resistance to impact. These door panels are manufactured from tempered hardboard to ensure they have a low moisture absorption rate, making them more resistant to harsh environmental conditions and suitable for both interior and semi-exterior use. In addition, they are primed, sealed and ready to paint upon purchase which saves time on labour. The combination of these factors make Evodoor Duracoat door panels a cost effective door solution that saves time and money on replacement costs.

TRUSTED

Evodoor Duracoat door panels have been successfully supplied into the Australian market for over 15 years. During this time these door panels have built a solid reputation in the market and today they are widely trusted by developers, commercial builders and leading residential project builders for all their interior and semi-exterior door needs. Tried and tested in all variable climatic conditions across Australia, with literally millions of door panels being successfully installed countrywide, Evodoor Duracoat is the reliable door solution that is trusted throughout Australia and New Zealand.

NATURAL

Evodoor Duracoat door panels are manufactured responsibly. Unlike MDF panels, no synthetic resins are used within the manufacturing process. The wood used in the manufacture of these door panels is sourced from our sustainable and renewable forestry partners, making Evodoor Duracoat door panels formaldehyde free and compliant with EO and FSC™ Mix certifications.



CHOOSE **evodoor** duracoat



Ideal for semi-exterior applications (front/entrance & back doors).



Important selection for high humidity regions with its high resistance to water absorption (including bathroom doors).



High impact resistance to everyday living through its strength and density properties.



All natural hardwood fibres and resins.

Feature	Benefit	Advantage vs MDF
High Density and Strength > 960kg/m ³	Superior density with internal bond strength allows greater resistance to impacts and potential damage on site and in the home	Approx. 30% to 40% greater density properties
Tempered Hardboard and High MOE (Modular of Elasticity)	The unique 'tempering' process along with very low moisture absorption rates provide high performance characteristics for resistance to variable climatic conditions. LESS REPLACEMENT COSTS	Lower moisture absorption rates that reduce any potential board swell.
Natural Raw Materials	Hardwood sourced from sustainable forests is environmentally responsible including a formaldehyde E0 rating	The use of natural resins to adhere all the natural timber fibres. NO SYNTHETIC RESINS



The mark of
responsible forestry
FSC • C108473



SABS
ISO 9001



SOUTH AFRICAN HEAD OFFICE:

T +27 (31) 534 1700 | F +27 (31) 534 1747

SOUTH AFRICAN MILL:

Estcourt | T +27 (36) 352 2120 | F +27 (36) 352 5654

SOUTH AFRICAN REGIONAL SALES OFFICES:

Johannesburg | T +27 (11) 453 3260 | F +27 (11) 453 8067 | E jhbsales@evowood.co.za

Cape Town | T +27 (31) 534 1750 | F +27 (31) 534 1720 | E cptsales@evowood.co.za

Durban | T +27 (31) 534 1748 | F +27 (31) 534 1720 | E dbnsales@evowood.co.za

AUSTRALIAN OFFICE:

T +61 3 9694 4404 | E spotter@evowood.co.za

A 18 / 69-72 York Street, South Melbourne, Victoria, 3205, Australia